

Head Office: ITI Australia 59 Dunheved Circuit, St Marys, NSW 2760

PH: 02 8805 5000 **F**: 02 9623 0492

Date of Issue – 31/08/17 Revision – 1.0

MATERIAL SAFETY DATA SHEET

Non Hazardous according to criteria of Worksafe Australia

PRODUCT NAME AND REFERENCE NUMBER

WPC Composite Clean: 855CL-0002

SUPPLIER: Aqualis Coatings P/L

47 Lara Way

Campbellfield Vic 3061

Contact Details: 03 9357-9510

APPLICATION: Water based pre-treatment and cleaner for all composite

substrates.

UN No: 1263 D.G: None Allocated

HAZCHEM: None Allocated P.G: None Allocated

PHYSICAL DATA

Appearance: Clear liquid

Odour: citrus

Specific Gravity: 0.950 - 1.15 kg/lt

Solubility in water g/l: Miscible

FIRE AND EXPLOSION HAZARDS:

Non Flammable

REACTIVITY DATA

STABLE

UNSTABLE

Materials to avoid: None listed for this product

Hazardous Decomposition Products: None listed for this product

HAZARDOUS POLYMERISATION: Will not occur

INGREDIENTS

HEALTH HAZARD DATA

	0-1	1-10	10-30	30-60	>60	CAS RN	TWA PPM
% Composition by wt							
(Non Hazardous ingredients)					Х		
Surfactant	Х						

Not applicable

EFFECTS OF EXPOSURE

EYES: May cause eye irritation.

SKIN: May cause slight skin irritation after prolonged or repeated exposure.

INHALATION: Not considered hazardous.

INGESTION: Gastrointestinal irritation may cause nausea, pain and vomiting.

Vomit entering the lungs by aspiration may cause potentially lethal

chemical pneumonitis.

FIRST AID

EYES: Flush eyes with water for at least 15 minutes. Ensure irrigation under

both eyelids is achieved. Transport patient to hospital or doctor if required. Do not attempt to remove contact lenses, this should only

be undertaken by skilled personnel.

SKIN: Remove contaminated clothing.

Wash affected areas thoroughly with water. If irritation occurs seek

medical attention.

INHALATION: Move patient to fresh air away from contamination source and remove

contaminated clothing. If irritation persists seek medical attention.

INGESTION: If swallowed do not induce vomiting. Wash mouth with water. Give

water to drink to dilute stomach contents. If vomiting occurs, place victim's head downward, head lower than hips to prevent vomit

entering lungs. Seek immediate medical attention.

SAFETY PROTECTION INFORMATION

ENGINEERING CONTROLS: As with good work safe practices, use in a well-

ventilated area, under normal conditions general

exhaust is adequate.

PERSONAL PROTECTION

INHALATION: Under normal application conditions no protection is

required. If aerosol mists are present, wear an <u>Australian Standard Approved</u> respirator. The selection of class and type will be dependent on level of air-

borne contaminant and chemical type.

EYES: Chemical goggles or safety glasses with side shields.

Do not wear contact lenses as they absorb and

concentrate irritants.

HANDS: Wear rubber gloves.

CLOTHING: Wear protective clothing that minimizes the risk of skin

contact.

Wear safety footwear.

STORAGE AND TRANSPORT

Store cans away from oxidising agents, foodstuffs and clothing. Keep containers closed securely when not in use.

SPILL OR LEAK PROCEDURES

Avoid contact with skin and eyes. Wear appropriate safety equipment. Absorb spill with inert material such as sand, vermiculite or other absorbent material. Do not permit spilled material to flow into sewer or natural waterway.

DISPOSAL

Consult local land waste Management Authority for disposal. Recycle where possible; dispose of containers at an authorised landfill.

CONTACT

Australian Poisons Information Centre: 13 11 26

Police, Fire brigade or Ambulance: 000 Agualis Coatings: 039357 9510

All advice, recommendations, information or service provided by AQUALIS COATINGS in relation to product manufactured or supplied by it or their use and application is given in good faith and is believed by AQUALIS COATINGS to be appropriate and reliable. This information may be subject to change without notice. No warranty expressed or implied is made as to its accuracy, completeness or otherwise provided that the foregoing shall not exclude, limit, restrict or modify the right entitlements and remedies conferred upon any person or the liabilities imposed upon Aqualis by any condition or warranty implied by Commonwealth, State or Territory Act or ordinance void or prohibiting such exclusion limitation or modification. AQUALIS COATINGS has no control on individual customer's application methods and or raw materials used and therefore cannot be held responsible for product failure if recommended guidelines are not satisfied. Products are expected to perform as indicated provided the application procedures are adhered to.